












CONTENTS

- 14 Kovea History
- 20 New Product
- 34 Gas Stove
- 56 Lantern & Heater
- 70 Torch & Barbecue Grill
- 80 Cookware & Accessory
- 90 Camping & Etc.
- 102 Trango



KOVEA

Since the establishment in 1982, Kovea has contributed to the creation and expansion of outdoor and camping culture through out the world. As a result of those efforts, we have received several awards from various institutions by achieving recognition of brilliant design and innovative performance. Kovea stands for top rated customer satisfaction, superior quality and development of new innovative products.



INNOBIZ











ANADA AUSTRA

A EUROPE



KOVEA HISTORY

1982 ~ 2017

1982~2017 History of the KOVEA



Kovea has a long history of developing outdoor products for the past 35 years. Kovea started out by developing Gas appliances and now has an extensive lineup of outdoor and home products that incorporate innovation and design. With its long

list of patents incorporated in the products. Kovea has been able to establish itself as the number 1 outdoor gear company in Korea and the rest of the world. This long history and experience has helped Kovea establish itself in such categories as camping, backpacking, and climbing gear industry. Kovea distributes its products to numerous countries worldwide and has been able to establish itself as one of the top outdoor companies internationally.

Going forward, Kovea will continue to be the No. 1 brand in Korea while reaching out to customers worldwide through its customer service and product reliability.



● 1982

Kovea Company is established.

← 1983

Kovea develops its first gas burner



-1986

Lovestar Burner (Gas Stove)

The first outdoor friendly Gas burner developed for the outdoors.

◆ 1987

Manufacturing plant established. (Daewoong Co.)

TKB-8711 Burner

First Camping top mount canister stove developed for 230g gas canister

TKB-8712 Burner

Koreas first auto ignition top mount canister stove developed. Still in production to this date, one of our most reliable and longest top mount canister stoves.



- 1989

KTL-894 (Gas Lantern)

1st Gas powered Lantern for the backpacking community Along with the TKB-8712, Koveas flagship burner and lantern.

TKB-8911

After the success of the 8711 model, the more fuel efficient model developed.

New auto iginition starter developed with a new design concept,

KB-9110 (Handy Twin Stove)

2 head burner stove developed for multi purpose cooking

Portable Burner System (Burner + Cookware)

First portable all in one stove system developed





● 1992

TKH-9208

Koreas first portable gas heater developed.



← 1993

Taewoong gas company established



← 1994

TKB-9401 (Deluxe Twin Stove)

International Gas adaptor patent registered One touch adaptor system developed and patented

◆− 1995

Koveas first international order sent out to Japan

•−1996

9607 Torch developed (Auto Ignition)



TKL-961 (Galaxy Gas Lantern)

Auto ignition Gas Lantern developed for the Japanese market,



◆−1997

Kovea Co., LTD established

TKB-9901 (Maximum Stove)

Gas burner stove developed for Japanese market,

TKB-9703

(Camp 1 Remote Canister Stove)

Remote Canister stove with large burner head developed.



● 1999

Sales Milestone achieved for Kovea



← 2000

Sales Milestone achieved again for Kovea Presidential Award for exports received. Gas Safety Award received.





-2001

KB-0101 (Camp 3 Titanium Burner)



Trango Established

Climbing Equipment manufacturing company Acquired



← 2002

KH-0203 (Little Sun Heater)



KB-0211 (Camp 4)





16 www.kovea.com

17

trange world

Beyond the limits

9 2004

TKAT-AL2 (Aluminum Table 2)
TKAT-AL4 (Aluminum Table 4)
Beginning development of
Camping Lineup



Kovea Logo Brand developed

With the boomerang in mind, Kovea **KOVEA** establishes its logo with the concept that

people will keep coming back to Kovea with all the new products developed for the outdoor and home industry

← 2005

KG-0409 (3 Way All in One)

Koreas First All in one Gas BBQ Grill for all types of cooking



← 2006

KB-0603 (Booster+1)

Worlds first multi fuel Gas stove that doesn't require any nozzle changes.



← 2007

VT-CSD07-K01 (Castle Tent)

With the introduction of a family style tent, Kovea establishes a camping market in Korea.



KB-0703 (Alpine Pot)

(AL II Chef Master Hose Burner)

Regulated 2 burner stove to incorporate

remote canister access.

Kovea develops the Stove and cookware burner system



● 2010

KK8BB0103

(Traditional Korean Pot)

Use of the cast iron material to redevelop a Traditional Korean pot used in the Chosun Dynasty years of Koreas history



KK8TE0122 (Outback Tent)

Uniquely designed family tent fit for the Korean market,



KK8TE0203 (Eastern Tent)

With the larger family in mind, a large family tent developed.



-2011

KB-N0810 (Dual Max)

New and improved design of the Booster+1 Stove



← 2012

30 Year Anniversary Camping Festival

As a thank you to the customers, Camping Festival launched 2 times per year







Ever Camp Brand established



- 2013

Kovea Monthly Newsletter begins

For Kovea customers, a monthly newsletter is started.

9−2013

Forbes rated #1 Camipng Brand in Korea 4 years straight running






Kovea Premium product lineup established Black Pro series tents launched

KOCAF Event officially established as annual event

3rd annual Kovea Camping Festival running





KH-1310 (Giga Sun)

← 2014

◆−2015

products

Family Style heater developed and given ISPO Design Award

ISPO Gold Design Award and

System Cookware, L Core Lantern

Stainless Steel gas range developed

Unique Design wins numerous awards

Good Design Outdoor Award

Cube, Gentleman Lantern, and

Alpine TP Tent received awards

Cube win ISPO Gold Design Award

Alpine Pot EZ-Eco and

KGR-1503 (Cube)

and designed.

Reddot Award received for numerous



reddot award 2014

o (

Forbes rated #1 Camipng Brand in Korea

5 years straight running

New Pattern series for

Tents and Hardgoods

Kovea establishes new

-2016

← 2017

saying "Beyond the Limits"

1st in Korea Brand Power Index

KGB-1312A (Slim twin Stove lite)

Winner from Gear Institude for Best New Gear Awards

Trango World Brand Launched in Korea



E-Stove wins IF Gold Design Award







KGB-1305 Hydra

Winner from Back Country Skiing Canada for Gear of the year awards









► 2009 KH-0812



2018
KOVEA
CATALOG
PRODUCT

New Product

INITIALS

- B: Bulb (LED) C: Consumption D: Dimension F: Fuel M: Material
- Q: Quantity R: Runtime S: Size V: Volume W: Weight
- Br: Brightness Cc: Capacity Cr: Color Fl: Filling Rg: Range St: Strength
- Ig: Ignition IL: Illumination



V1

Highly Efficient Regulator Stove

V1 is the most innovative stove. It has regulator which regulate gas pressure so that the flame gets stable. Concaved head with wind shield technology ables to work in high wind situation. It also has lightweight design, ideal for UL backpacking.

Compact and light weight design

Ideal for UL backpacking

Concave stove head

Mimimizing the wind directly in the flame.

Ignition device cover

Prevents damage to spark plug from any accidental impacts to part.

Consistent output pressure(flame) with Kovea's Regulator Technology

Stable flame regardless of temperature or canister pressure.







F Iso-Butane (Screw Type Gas Canister)
C 193g/h (2,282kcal / 9,062BTU / 2.65kW)





ALPINE MASTER

All IN ONE inclusive stove system

The Alpine master has a new Surface Combusting System and Heat Exchange System which allows for greater heating and fuel efficiency with faster boiling times. Allows one to carry all the cooking components in one system, even the gas canister. Ideal for outdoor activities such as fishing, camping, and backpacking.

HES Pot included

Can enjoy various outdoor activities such as backpacking, fishing, camping with just one burner.

SCS+ HES

Minimized loss of heat and maximized heat and fuel efficiency (2mins and 40sec to boil 1L of water)

Can use various type of cookware

Normal pot, pan or kettle can be used with this stove.

Two bags are included

A bag for Burner, gas canister and a bag for the pot.









ALPINE MASTER

- D 178 X 178 X 213mm (Inner Box)
- F Iso-Butane (Screw Type Gas Canister)
 C 162g/h (1,916kcal / 7,605BTU / 2.23kW)





CAMP 1 PLUS

Most trusted all around stove

The Camp One Plus is an upgraded version of our most trusted stove, we increased its power to reduce boiling time and keep wind from being a factor. The main body and wind shield can be detached which allows for easier cleaning. It also has a heating pipe which helps during colder temperatures and increases fuel effeciency.



Convex stove head with reduced boiling time.

Compact and Lighter than before

40g (10%) lighter than TKB-N9703 and decreased in size by

Wildshield on the head

Better performance of keeping the flame on the head

Less discoloration and easy to clean

The head is ceramic coated and the body can be detached for cleaning.



CAMP 1 PLUS KGB-1608

- **D** 129 X 129 X 96mm
- F Iso-Butane (Screw Type Gas Canister)
 C 140g/h (1,656kcal / 6,572BTU / 1.93kW)





ALPINE POT WIDE UP

Go To All around stove

The Alpine Pot Wide Up is an upgraded version of our Alpine Pot Wide. With a larger pot size, the stove and 230g Gas canister fits nicely into the pot to save space. 0.8L of the water can be heated during one fill.

Bigger Pot Size

Pot size increased in volume to 1.5L (Max fill: 0.8ml)

Improvement of performance

Minimized loss of heat and maximized heat and fuel efficiency. (2mins and 40sec to boil 0.5L of water)

All in one inclusive Stove System

230g gas canister fits nicely into the pot to save space.

Can use various type of cookware

Normal pot, pan or kettle can be used with this stove.



ALPINE POT WIDE UP KB-0703WU

D 130 X 130 X 218mm (Inner Box)

F Iso-Butane (Screw Type Gas Canister)
C 90g/h (1,065kcal / 4,225BTU / 1.24kW)







SLIM TWIN STOVE LITE

Most versatile 2 burner stove

The Slim Twin Stove Lite is a derived product from the original Slim Twin stove. The Gas canister can be directly connected to the bottom of the stove. The height has been adjusted for use with different fuel canisters. The most versatile 2 Burner stove on the market. Never have to worry about what fuel to use.



Multi fuel stove

Two different adapters are included for really any fuel canister on the market. (Propane, ISO Butane and Butane)

Wide burner heads and removable lid

Larger pots and pans can be used.

Compact and slim design

Perfect for saving space while overlanding.

Easy to ignite

Easy ignition with the push of a button.







SLIM TWIN STOVE LITE KGB-1312A

D 542 X 340 X 72mm

W 5.1kg

F Iso-Butane (Screw Type Gas Canister) Propane Gas

C Iso-Butane: 230g/h (2,721kcal / 10,797BTU / 3.22kW) Propane : 316g/h (3,738kcal / 14,842BTU / 4.34kW)





HANDY SUN

Small in Size, but packs tons of Heat

The Handy Sun is our newest, smallest and lightest heater in our product line. This small heater is great for trips where it gets a bit cold and you need something to warm you up.

The safety net

Prevent any damage from high temperature.

Air shutter

Easy to ignite if you press the Air Shutter while igniting.

Fine adjustment

Easy to ignite with a trigger type ignition with a control knob that provides fine flame adjustment.

Excellent heat efficiency

Reflector around the heater focuses the heat to the user, also larger head helps to keep the heat source hotter.





HANDY SUN KGH-1609

D 158 X 158 X 195mm

W 197g

F Iso-Butane (Screw Type Gas Canister)

C 60g/h (710kcal / 2,817BTU / 0.82kW)

Gas Stove



2018 **KOVEA CATALOG PRODUCT**

Gas Stove

- 36 Top mount canister stove
- 42 Remote canister stove
- 46 Alpine Pot
- 50 Twin Burner
- 52 Gas BBQ
- 54 Gas Range

INITIALS

- B: Bulb (LED) C: Consumption D: Dimension F: Fuel M: Material
- Q: Quantity R: Runtime S: Size V: Volume W: Weight
- Br: Brightness Cc: Capacity Cr: Color Fl: Filling Rg: Range St: Strength
- Ig: Ignition IL: Illumination













The Power Nano stove was designed with the UL backpacker in mind. With the focus on fast boiling times and compactability in mind, this stove is a great addtion to any backpackers journey. Tested with a boil time of 2 mins and 23 seconds in the field, this beats any other stove in terms of effeciency and

Winner from Gear Institute.com for Best value amongst tested stoves.

- D 65 X 44 X 89mm (Inner Box)
- F Iso-Butane (Screw Type Gas Canister)
 C 156g/h (1,845kcal / 7,323BTU / 2.14kW)

SOLO KB-0409





The Solo gas stove is a mini stove that is convenient to carry. Its aluminum flame control valve makes it lightweight. This stove has rotating support legs, an ignition plate installed for maximized ignition, folded configuration capability, and the ability to deliver a powerful flame.

- D 57 X 57 X 100mm (Inner Box)

- W 124g
 F Iso-Butane (Screw Type Gas Canister)
 C 137g/h (1,621kcal / 6,434BTU / 1.88kW)





V1 KGB-1607

V1 is the most innovative stove. It has regulator which regulate gas pressure so that the flame gets stable. Concaved head with wind shield technology ables to work in high wind situation. It also has lightweight design, ideal for UL backpacking.

- D 70 X 70 X 125mm (Inner Box)
- F Iso-Butane (Screw Type Gas Canister)
- C 193g/h (2,282kcal / 9,062BTU / 2.65kW)











This Titanium stove is recommended by outdoor experts. With a specialized burner head, adjustable valve to control fire power and an automatic igniter, this stove meets all your needs.

- **D** 67 X 38 X 81mm (Inner Box)
- F Iso-Butane (Screw Type Gas Canister)
- C 140g/h (1,656kcal / 6,572BTU / 1.93kW)









SUPALITE TITANIUM KB-0707

The Supalite Titanium is made of light and durable titanium, making it one of the world's lightest stoves. With its advanced functions, ergonomic designs, and high firepower mechanism, this stove is a must-have item for the outdoors. The specially designed burner head emits strong firepower, and the elaborate adjusting valve makes flame control easy.

D 176 X 116 X 40mm (Inner Box)

F Iso-Butane (Screw Type Gas Canister)

C 162g/h (1,916kcal / 7,605BTU / 2.23kW)



SCORPION KB-0410



plate to help maximize ignition effeciency and an aluminum valve to reduce the overall weight. Wide pot supprts to hold even the heaviest pots and pans for groups and individuals.

D 98 X 98 X 92mm (Inner Box)

F Iso-Butane (Screw type Gas canister)
C 133g/h (1,573kcal / 6,246BTU / 1.83kW)



HIKER KB-0408 The Hiker gas stove is small but has strong fire power in comparison to the size of the burner head, which evenly distributes firepower. The ignition plate

makes lighting easy and maximizes power. A convenient ignition button is built

D 96 X 88 X 90mm (Inner Box)

W 232g

F Iso-Butane (Screw Type Gas Canister)

C 148g/h (1,751kcal / 6,948BTU / 2.04kW)

into the lightweight aluminum valve.



BACKPACKERS TKB-9209-1



The Backpackers stove is ultra-light and compact. With durable, rustproof components and an adjustable flame control, this stove is ideal for solo campers. The folding pan supports ease in storage and portability. This signature stove has been around for over 25 years and has been a real trooper during that time.

D 81 X 50 X 100mm (Inner Box)

W 190g

F Iso-Butane (Screw Type Gas Canister)

C 160g/h (1,892kcal / 7,511BTU / 2.2kW)



SCOUT TKB-8911-1



The Scout is small and compact in size. The head and valve are easy to use. By expanding the auxiliary legs, the stove can safely accommodate a larger container.

D 122 X 100 X 125mm (Inner Box)

W 290g
F Iso-Butane (Screw Type Gas Canister)

C 160g/h (1,892kcal / 7,511BTU / 2.2kW)



EAGLE KB-0509





This Eagle stove is ultra-light and compact. It has durable, rustproof components and an adjustable flame control. The folding pan supports ease in storage. This stove is ideal for backpacking, camping and mountaineering.

D 57 X 57 X 100mm (Inner Box)

W 105g

F Iso-Butane (Screw Type Gas Canister)
C 128g/h (1,514kcal / 6,012BTU / 1.78kW)



FIREMAN KB-0808





D 54 X 54 X 100mm (Inner Box)

F Iso-Butane (Screw Type Gas Canister) C 160g/h (1,892kcal / 7,511BTU / 2.2kW)

heat. Great simmering controls for all types of cooking.



MAXIMUM TKB-9901

The Maximum is in a class of its own, this very unique designed stove is ideal for those who want to do more than just boil water outdoors. This stove was designed for use with the 220g nozzle type gas canisters. An easy to install mechanism allows this stove to be used in an instant. Our patented 1 touch adaptor optimizes the ease of use. Made of aluminium it is very lightweight compared to the other gas ranges that use this type of gas.

folding size to a minimum. The unique spreader pot supports allows the flame to even disperse over the pot or pan during cooking giving an even amount of

D 93 X 79 X 115mm (Inner Box)

F Butane (Nozzle type gas canister)
C 140g/h (1,656kcal / 6,574BTU / 1.92kW)



The Flame Tornado with its powerful output of over 7,000 BTUS, helps the UL backpacker when in need of a quick boil. Body made of aluminium die casting, brings down the weight and helps reduce over size with the folding pot supports. A separate piezo ignitor is included so no matches or lighters are

(Not availabe in the United States and European countries, please inquire about availability)

D 113 X 113 X 89mm (Inner Box)

F Iso-Butane (Screw type Gas canister)

C 150g/h (1,775kcal / 7,000BTU / 2.06kW)









HYDRA KGB-1305





Most innovative product yet.

Not only is this stove both Iso Butane and White Gasoline compatible, but you don't have to change any nozzles when switching fuels. Designed to prime the fuel before it reaches the head, this stove drastically reduces the noise where others have failed.

D 297 X 266 X 97mm (Inner Box)

W 310g
F White gasoline, Iso-Butane (Screw type Gas canister)
C White gasoline - 209ml/h (1,860kcal / 7,380BTU / 2.16kW) Iso-Butane -131g/h (1,550kcal / 6,150BTU / 1.8kW)



BOOSTER+1 KB-0603



The Booster+1 with its powerful output have the best of both worlds with the versatile and easy-to-operate Booster+1 stove. Use either butane gas or white gasoline, without exchanging nozzles. The pot supports and legs are connected by an ingenious gearing system which allow them to fold and unfold simultaneously. Best used all year round in any weather.

D 367 X 266 X 97mm (Inner Box)

F White gasoline, Iso-Butane (Screw type Gas canister)

C White gasoline - 274ml/h (3,068kcal / 12,179BTU / 3.55kW Iso-Butane -195g/h (2,307kcal / 9,154BTU / 2.68kW)





CAMP 1 PLUS KGB-1608

The Camp One Plus is an upgraded version of our most trusted stove, we increased its power to reduce boil time and keep wind from being a factor. The main body and wind shield can be detached which allows for easier cleaning. It also has a heating pipe which helps during colder temperatures and increases fuel effeciency.

D 129 x 129 x 96mm

W 360g
F Iso-Butane (Screw type gas canister)
C 140g/h (1,656kcal / 6,572BTU / 1.93W)








The Booster Dual Max has foldable legs to support the pot safely, saving volume for better storage and portability. The air shutter controls the oxygen rate depending on different fuels. The stove head has direct flame holes. The seperate nozzle cleaning pin is included to aid in clogging maintenance

D 125 X 90 X 68mm (Stove)

W 340g
F White gasoline, Iso-Butane (Screw type Gas canister)
C White gasoline: 246ml/h (2,184kcal / 8,666BTU / 2.54kW)
Gas: 123g/h (1,455kcal / 5,774BTU / 1.69kW)

Gas Stove



This Camp-5 stove prevents liquefaction by using copper pipes. The flame is highly efficient and is concentrated in the center. Pot supporter and legs move simultaneously and comfortably to accommodate various types.

D 58 X 58 X 127mm (Inner Box)

W 156g

F Iso-Butane (Screw Type Gas Canister)

C 146g/h (1,725kcal / 6,857BTU / 2.00kW







The Moonwalker has a double wall pipe, anti-flare system design doubly preventing cumbersome liquefaction. Its foldable legs allow for stability and compact storage. This stove uses a small flame control, making it more lightweight. The gas heating systems directs the gas pipe to pass through the stove, keeping it warm and efficient in colder temperatures.

D 118 X 103 X 92mm (Inner Box)

F Iso-Butane (Screw type Gas canister)

C 140g/h (1,656kcal / 6,572BTU / 1.93kW)



SPIDER KB-1109





The Spider is one of our best-selling stoves. It has an anti-flame system pipe that provides a powerful and stable flame. The foldable pan support legs and lower balance enhances the stove's safety.

D 106 X 94 X 46mm (Inner Box)

F Iso-Butane (Screw Type Gas Canister)

C 120g/h (1,420kcal / 5,633BTU / 1.65kW)



EXPEDITION TKB-N9703





The Expedition has a double-pipe, anti-flare system to prevent liquefaction and gas flaring. The ignition plate makes ignition easy and maximizes power, as wind breakers operate the pot supports. Foldable legs provide stable support for larger cooking pans. This stove is especially durable with its fluorine hose and stainless rustproof components.

D 140 X 90 X145mm (Inner Box)

W 379g

F Iso-Butane (Screw Type Gas Canister) Butane (Nozzle type gas canister)

C 140g/h (1,656kcal / 6,572BTU / 1.93kW)



DUAL FLAME KGB-1302



The Dual Flame has a very unique flame head design which emits 2 different flames on a larger burner head. This large flame base in 2 different directions is ideal for the backpakeer / camper who wants to do more than just boil water. An even flame dispersion does not burn the pot / pan in one area and allows for an even cooking surface.

D 110 X 77 X 134mm (Inner Box)

W 230g
F Iso-Butane (Screw Type Gas Canister)

C 140g/h (1,656kcal / 6,572BTU / 1.93kW)







ALPINE MASTER KGB-1701

The Alpine master has a new Surface Combusting System and Heat Exchange System which allows for greater heating and fuel efficiency with faster boiling times. Allows one to carry all the cooking components in one systerm, even the gas canister. Ideal for outdoor activities such as fishing, camping, and backpacking.

D 178 X 178 X 213mm (Inner Box)

W 883g F Iso-Butane (Screw Type Cas Canister) C 162g/h (1,916kcal / 7,605BTU / 2.23kW) Cc 2,000ml



ALPINE POT EZ-ECO KGB-1410

The Alpine Pot EZ Eco is exactly what you see. An Alpine Pot stove system with the fuss of carrying a fuel canister. This new innovative system has a built in fuel base which allows you to fill it with gas before you go out on your trip, no more fuss of taking the fuel with you for those short 1 day hikes. A pot without the fuel canister saves space and weight and can boil 500 ML of water up to 6 times on 1 full charge. An adapter is included for use of both nozzle type and screw type gas canister.

D 130 X 130 X 200mm (Inner Box)

W 770g

F Butane & Iso-Butane (Refillable gas tank)

C 51.3g/h (607kcal / 2,410BTU / 0.7kW)

Cc 1,100ml (gas capacity: 27g)













ALPINE POT WIDE UP KB-0703WU

The Alpine Pot Wide Up is an upgraded version of our Alpine Pot Wide. With a larger pot size, the stove and 230g Gas canister fits nicely into the pot to save space. 0.8L of water can be heated during one fill.

D 130 x 130 x 218mm

W 535g
F Iso-Butane (Screw type gas canister)
C 90g/h (1,065kcal / 4,225BTU / 1.24W)
Cc1,500ml



ALPINE POT WIDE KB-0703W



The Alpine Pot Wide is a great stove system to carry with you on your next excursion. It comes with a wide based 1 L pot and a couple of attachments where you can actually cook with the stove. A cozy is attached to the pot to prevent burns when the pot is in use and the handles are coated with a silicon to help grip the pot. 0.5 L of water can be heated during one fill.

D 130 X 130 X 175mm (Inner Box)

W 510g
F Iso-Butane (Screw type Gas canister)

C 75g/h (887kcal / 3,521BTU / 1.02kW)





DELUXE TWIN STOVE

KGB-9401W(white) KGB-9401B(black) KB-9401(yellow)





The Deluxe Twin Stove is the GO TO stove when it comes to car camping. This stove is ideal for families and groups of campers who need the twin burner head for some serious cooking. Equipped with a windsheld, it makes cooking in the outdoors simple and fun. With the new color additions people will turn heads at the campsite when they see it.

An adapter is included for use of 220g nozzle type gas canister.

D 490 X 110 X 298mm (Inner Box)

W 4kg

F Iso-Butane (Screw Type Gas Canister)

C 162g/h (1,916kcal / 7,608BTU / 2.2kW)







The Slim Twin Stove is as compact and innovative as it gets. The sleek design saves tons of space and the dual hose regulator valves allows the stove to be used in any weather conditions.

W 5kg
F Iso-Butane (Screw type Gas canister)

D 542 x 340 x 72mm (Inner Box)

C 230g/h (2,721kcal / 10,797BTU / 3.22kW)







SLIM TWIN STOVE LITE KGB-1312A

The Slim Twin Stove Lite is a derived product from the original Slim Twin stove. The Gas canister can be directly connected to the bottom of the stove. The height has been adjusted for use with different fuel canisters. The most versatile 2 Burner stove on the market. Never have to worry about what fuel to

D 542 x 340 x 72mm

W 5.1kg

F Iso-Butane (Screw type gas canister) Propane Gas

C Iso-Butane: 230g/h (2,721kcal / 10,797BTU / 3.22kW) Propane: 316g/h (3.738kcal / 15,047BTU / 4.34kW)




x 2ea

x 2ea Propane Adapter



CHEF MASTER UP KGB-0812N



design makes it seem like you are cooking from your kitchen at home.

D 560 X 360 X 120mm (Inner Box)

W 3.9kg
F Iso-Butane (Screw Type Gas Canister)

C 280g/h (3,312kcal / 13,142BTU / 3.85kW)







ALL IN ONE GAS BBQ (M)

KG -0904PM

- D 430 X 212 X 238mm (Inner Box)
- F Butane (Nozzle Type Gas Canister)
- C 169g/h (1,999kcal / 7,937BTU / 2.32kW)



ALL IN ONE GAS BBQ (L)

KGG-1304

- D 535 X 185 X 310mm (Inner Box)
- F Butane (Nozzle Type Gas Canister)
- c 185g/h (2,461kcal / 9,769BTU / 2.85kW)

The All in One Gas BBQ is the perfect companion for all types of cooking indoor or outdoor. This is the all in one cooking stove that does everything you ever need, personalized to fit on a table perfect for grilling, cooking stews, shabu shabu, fondue, kebabs, you name it. It comes equpped with 3 different types of cooking trays and has a unique U shaped flame head to evenly distribute heat and flame throughout the pan. Take this portable cooking stove anywhere you want to cook and not worry about how to cook but what to cook.



2WAY BBQ STOVE KG-1009

The 2 Way BBQ stove is great for any occasion. It can be used both as a grill and a stove. Comes equipped with a carry bag and has foldable legs to store

- **D** 308 X 308 X 163mm (Inner Box)
- W 6.56kg
 F Iso-Butane (Screw Type Gas Canister) C 120g/h (1,420kca / 5,633BTU / 1.65kW)











CUBE









The Cube is a newly designed table top stove that is stylish and compact. This freshly designed stove is ideal for picnics and home parties. It works with nozzle type gas canisters and is compact for when you need to keep more than 1 pot going.

D 223 X 195 X 105mm (Inner Box)

F Butane (Nozzle Type gas canister)

C 130g/h (1,538kcal / 6,105BTU / 1.78kW)



ALUMINIUM RANGE KR-2102

The Aluminium table top stove is stylish and great for use while in the outdoors and can also be used a functions where simmering something is needed. Great way to keep everyone happy with a hot dish while eating.

D 330 X 102 X 310mm (Inner Box)

W 1.5kg
F Butane (Nozzle type gas canister)

C 210g/h (2,484kcal / 9,863BTU / 2.88kW)



COOKING PLUS RANGE KR-2109-D

The Cooking Plus is your go to table top stove. Allows you to use easy accessible butane canister while enjoying food at home or while on a picnic or even camping. Ideal for those times when you want to cook soup.

D 330 X 102 X 310mm (Inner Box)

W 1.5kg
F Butane (Nozzle type gas canister)

C 210g/h (2,484kcal / 9,863BTU / 2.88kW)



PORTABLE PROPANE TKR-9507-P

The Portable Propane table top stove is ideal for any type of picnic function, you can use this for large parties and long time use as it is directly hooked up to the propane tank.

D 376 X 318 X 98mm (Inner Box)

W 1.8kg
F Propane (Propane Gas Canister)

C 150g/h (1,800kcal / 7,146BTU / 2.1kW)





BEETLE RANGE KR-2005-1

The Beetle gas range is a convenient portable and compact item that is not available anywhere else. This is easy to carry and enables one to use during any outdoor activity. The Auto gas shut off regulator is installed to improve the safety of the overall product. Its one touch piezo ignition system makes it easy to light and use.

D 223 X 195 X 105mm (Inner Box)

W 1.04kg

F Butane (Nozzle Type gas canister)

C 130g/h (1,538kcal / 6,105BTU / 1.78kW)



PORTABLE TKR-9507

The Portable table top stove is great when you need a stable cooker while eating, great for use during multiple cooking situations and also sturdy enough to use almost anywhere.

D 343 X 275 X 85mm (Inner Box)

W 2.0kg

F Butane (Nozzle Type Gas Canister)

C 140g/h (1,656kcal / 6,575BTU / 1.92kW)



2018 KOVEA CATALOG PRODUCT

Lantern & Heater

58 Gas Lantern

62 Gas Heater

66 LED Lantern

INITIALS

- B: Bulb (LED) C: Consumption D: Dimension F: Fuel M: Material
- Q: Quantity R: Runtime S: Size V: Volume W: Weight
- Br: Brightness Cc: Capacity Cr: Color Fl: Filling Rg: Range St: Strength
- lg: Ignition IL: Illumination



250 LIQUID KL-2901

Liquid feed mode capable to increase effeciency and fuel consumption. Foldable legs provide an ability to place on tables and other flat surfaces. One touch ignitor and control knob lets you easily control the lighting.

D 156 X 123 X 253mm (Inner Box)

W 1.5kg

Ig One Touch Piezo Type

F Iso-Butane (Screw Type Gas Canister)

C 109g/h (1,289kcal / 5,119BTU / 1.50kW)



231mm

LIGHTHOUSE TKL-961



Special Enamel coating provides stronger corrosion resistance. Use of German Schott glass to strengthen durability with bright illumination. Adaptor to allow for use with both nozzle and screw type gas canisters.

D 185 X 185 X 253mm (Inner Box)

W 1.5kg

Ig One Touch Piezo Type

F Iso-Butane (Screw Type Gas Canister)

C 88g/h (1,041kcal / 4,132BTU / 1.2kW)

IL 200Lux



SUPERNOVA PLUS KGL-1010N

Glass protection wire to help relieve pressure from impact One touch ignitor and control knob lets you easily control the lighting. Special reflector plate creates a glowing light that surrounds the area.

D 200 X 190 X 300mm (Inner Box)

W 1.3kg

Ig One Touch Piezo Type
F Iso-Butane (Screw Type Gas Canister)

C 130g/h (1,538kcal / 6,105BTU / 1.78kW)

IL 400Lux



SUPERNOVA KL-1010

Special Enamel coating provides stronger corrosion resistance. Downward facing flame holes to keep the brightness to a maximum. Double layered mesh holes used to decrease noise.

D 200 X 190 X 300mm (Inner Box)

W 1.3kg
Ig One Touch Piezo Type

F Iso-Butane (Screw Type Gas Canister) C 95g/h (1,124kcal / 4,462BTU / 1.3kW)

IL 300Lux



184mm

GENTLEMAN KGL-1403

Medium sized powerful lantern to help creating special atmposhere. Downward facing flame holes to keep the brightness to a maxium. Double layered mesh holes used to decrease noise.

D 163 X 163 X 221mm (Inner Box)

Ig One Touch Piezo Type

F Iso-Butane (Screw Type Gas Canister)

C 80g/h (946kcal / 3,754BTU / 1.1kW)



SOUL TKL-4319

Strong structure and design for the everyday backpacker. Reflecting shade to increase light illumination radius. Convenient piezo ignitor for easy lighting.

D 129 X 129 X 180mm (Inner Box)

W 450g

Ig One Touch Piezo Type

F Iso-Butane (Screw Type Gas Canister)

C 53g/h (627kcal / 2,489BTU / 0.73kW)

[961 / 2901]

[103 / 805 / K805]



HELIOS KL-2905

Anti Corrosion ceramic coated lid for longer usage. Reflecting shade to increase light illumination radius. Convenient piezo ignitor for easy lighting.

(€

D 69 X 69 X 143mm (Inner Box) **W** 267g Ig One Touch Piezo Type

F Iso-Butane (Screw Type Gas Canister) C 51g/h (603kcal / 2,395BTU / 0.70kW)

IL 90Lux

105mm

OBSERVER KL-103

Compact and bright for those backpackers looking to reduce weight. Finite control handle to increase fuel effeciency and control brightness. Piezo ignitor included for convenience.

D 60 X 60 X 110mm **W** 168g

Ig One Touch Piezo Type
F Iso-Butane (Screw Type Gas Canister)
C 38g/h (450kcal / 1,785BTU / 0.52kW)

IL 35Lux



FIREFLY KL-805

Compact and bright for those backpackers looking to reduce weight. Simple and functional in design.

Finite control handle to increase fuel effeciency and control brightness.

D 73 X 69 X 107mm (Inner Box)

W 146g Ig Manual

F Iso-Butane (Screw Type Gas Canister) C 32g/h (379kcal / 1,503BTU / 0.44kW)

IL 40Lux

ACCESSORIES




[929 / 4319]

[961 / 2901]

GAS LANTERN LUX

[2905]


[103 / 805 / K805]



Gas Lantern : Gas Lantern Illumation range comparison

61 60 www.kovea.com

(€







The Handy Sun is our newest, smallest and lightest heater in our product line. This small heater is great for trips where it gets a bit cold and you need something to warm you up.

D 158 x 158 x 195mm

W 197g
F Iso-Butane (Screw type gas canister)
C 60g/h (710kcal / 2,817BTU / 0.82W)



GIGA SUN KGH-1310

The Giga Sun Heater has a distinct yet modern look of an old circular furnace, where instead of coal or wood, the gas emits heat in a 360-degree radius. It has a built in safety feature that automatically shuts itself off if it tilts or tips over, or when carbon monoxide levels gets too high. Great for camping and overlanding with its great power, zzcompact size compared to other rotary heaters available on the market.

D 385 X 385 X 580mm (Inner Box)
 W 6kg
 F Propane Gas
 C 500g/h (6,000kcal / 23,800BTU / 6.97kW)

LANTERN & HEATER



TABLE HEATER KH-1009

The Table Heater has strong firepower with a large fire outlet. The detachable reflection plate allows for 360 degree heating. The power booster prevents the gas canister from cooling down and improves evaporation. Noise is minimized by using a double layer nozzle. This heater is easy to light with its auto-ignition system. Finally, the leg design ensures safety and easy placement onto a

- D 180 X 180 X 252mm (Inner Box)
- W 1.368kg
- F Iso-Butane (Screw type Gas canister)
- C 128g/h (1,514kcal / 6,012BTU / 1.76kW)



CUPID KH-1203

The Cupid heater is ideal for those camping trips where it may get a little chilly at night. This heater emits a strong amount of heat from its ceramic heating pad and is small enough to carry around for those 2 person camping trips.


- D 175 X 140 X 270mm (Inner Box)
- F Butane (Nozzle Type gas canister)
- C 71g/h (840kcal / 3,333BTU /0.98kW)



POWER SENSE KH-2006

The Power Sense heater is perfect for those times when you need heat to warm yourelf up, whether it be in the garage or on the patio, it emits enough heat to keep you nice and toasty.

- D 255 X 227 X 245mm (Inner Box)
- F Butane (Nozzle Type gas canister)







FIREBALL KH-0710




attached to the output to allow for better gas efficiency. Hose type gas canister connection allows for easy access to gas valve.

- F Iso-Butane (Screw type Gas canister)
- C 66g/h (781kcal / 3,100BTU / 0.91kW)













GCOD DESIGN

LITTLE SUN KH-0203

The Little Sun name says it all. This heater emits a heat via its ceramic plate and can be used in the garage or on your patio. Great for keeping you warm in places where heat is not accessible.

D 275 X 190 X 320mm (Inner Box) **W** 2.1kg

F Butane (Nozzle Type gas canister)
C 120g/h (1,420kcal / 5,636BTU /1.65kW)







BLACK LEO

KBL-1702

D 66 X 55 X 80mm (Blister) W 50g (Including battery ??g) B CREE XT-E R HIGH-5hr/MED-12hr/LOW-45hr Br 200Lm/80Lm/40Lm



MERCURY 2

KECU9LH-01

D 62 X 46 X 40mm (Blister)
W 88g (Including battery 87g)
B 1 x 3W Gen 2 LG White LED
R HIGH-7hr / MED-14hr / LOW-95hr Br 200Lm / 100Lm / 20Lm



SPOT

KECU9LH-03

D 58 X 43 X 27mm (Blister)
W 90g (With Batteries)
B 1 x 3W Gen 2 LG White LED
R MID-10hr / HIGH-5hr / LOW-120hr HIGH(RED)-30hr

Br 60Lm / 200Lm / 4Lm / 6Lm





L-CORE RECHARGEABLE LANTERN II

KECT9LD-01

D 205 X 58 X 45mm W 272g B CRI80 R High: 4.5hr / Low: 48hr Br 600Lm Cr White











MACARON

KBL-1605 Blue Hawaii **KBL-1606** Pistachio **KBL-1607 Raspberry** KBL-1608 Lemon

D 70 x 70 x 50 **W** 105g Br High: 150Lm / Low: 60Lm R High: 6 / Low: 10 Water proof IPX4 (Battery: 'AAA' Alkaline x 3)













PHAROS

KBL-1601

D 103 x 103 x 212mm

W 315.5g(Excluding battery) B CREE XB-D

R High: 57 / Low: 191

Br 300Lm (Battery : CR123 Li-ion)

ZETA

KBL-1602

D 30 x 30 x 118mm W 92.58g

Br 220Lm B CREE XT-E

R 4hours and 15min (Battery: 'AAA' Alkaline)

HALLY 270 KBL-1604

D 35 x 121mm **W** 104g

Br 270Lm B 5W CREE XP-G ZOOMABLE

R High: 3 / Low: 6 (Battery: 'AAA' Alkaline)



2018 KOVEA CATALOG PRODUCT

Torch & Barbecue Grill

72 Torch


78 Barbecue Grill


Mark Instruction

Suitable for butane gas.

LIGHTER Suitable for lighter gas.

PROPHAN Suitable for propane gas.





INITIALS

- B: Bulb (LED) C: Consumption D: Dimension F: Fuel M: Material
- Q: Quantity R: Runtime S: Size V: Volume W: Weight
- Br: Brightness Cc: Capacity Cr: Color Fl: Filling Rg: Range St: Strength
- Ig: Ignition IL: Illumination



FIRE Z KGT-1406



Able to rotate 360 degrees

D 187 X 38 X 60mm

W 144q

One Touch Piezo Type F But ane (Nozzle Type Gas Canister)

C 130g/h (1,538kcal / 6,105BTU / 1.78kW)





FIRE BIRD KT-2511



W 153g
I One Touch Piezo Type

F Butane (Nozzle Type Gas Canister)

C 80g/h (960kcal / 3,811BTU / 1.10kW)







COOK MATE KT-1209



Able to rotate 360 degrees

D 168 X 94 X 52mm

W 180g

One Touch Piezo Type

F Butane (Nozzle Type Gas Canister)
C 106g/h (1,270kcal / 5,042BTU / 1.48kW)





(€



MULTI PURPOSE TKT-9607



W 142g

I One Touch Piezo Type









HESTIA KT-2603



Able to rotate 360 degrees

D 122 X 56 X 220mm

W 253q


One Touch Piezo Type

F Butane (Nozzle Type Gas Canister) C 106g/h (1,270kcal / 5,042BTU / 1.48kW)





CYCLONE - Butane KT-2904



W 134g

I One Touch Piezo Type

F Butane (Nozzle Type Gas Canister)
C 120g/h (1,440kcal / 5,717BTU / 1.68kW)









FREE NECK KT-2924



Able to rotate 360 degrees

D 200 X 310 X 46mm **W** 180g

I One Touch Piezo Type

F Butane (Nozzle Type Gas Canister)

C 120g/h (1,440kcal / 5,717BTU / 1.68kW)





PHOENIX KT-2709-H



Able to rotate 360 degrees

D 157 X 51 X 45mm

W 126g

I One Touch Piezo Type

F Butane (Nozzle Type Gas Canister)

C 80g/h (960kcal / 3,811BTU / 1.10kW)





PHANTOM KGT-1405



D 80 X 55 X 622mm

W 405g

- I One Touch Piezo Type
 F Iso-Butane (Screw Type Gas Canister)
 C 1200g/h (14,196kcal / 56,330BTU / 16.5kW)







TWIN BRAZING KT-2108

D 130 X 40 X 290mm

W 173g

I Manual

F Butane (Nozzle Type Gas Canister)
C 234g/h (2,808kcal / 11,148BTU / 3.26kW)





MASTER KT-2211

D 162 X 38 X 60mm

W 135g

I One Touch Piezo Type
F Butane (Nozzle Type Gas Canister)
C 80g/h (960kcal / 3,811BTU / 1.10kW)







ROCKET KT-2008-1

D 240 X 39 X 80mm

W 126g

I Manual

F Butane (Nozzle Type Gas Canister)
C 258g/h (3,100kcal / 12,307BTU / 3.6kW)





NEW MICRO KT-N2301

D 116.5 X 39 X 68mm

W 122g

I One Touch Piezo Type

F Butane (Nozzle Type Gas Canister), Lighter Gas Canister

C 15g/h (180kcal / 715BTU / 0.2kW)













Able to rotate 360 degrees

D 117 X 40 X 250mm

W 235g

I Manual

F Butane (Nozzle Type Gas Canister)
C 300g/h (3,600kcal / 14,292BTU / 4.2kW)











D 125 X 40 X 255mm

W 125g

I Manual

F Butane (Nozzle Type Gas Canister)

C 120g/h (1,440kcal / 5,717BTU / 1.68kW)







MASTER KGT-1407

WITH LIGHTER GAS

D 231 X 99 X 61mm (INNER BOX)

- **W** 130g

- I One Touch Piezo Type
 F Butane Gas (Lighter Gas)
 C 115g/h (1,360kcal / 5,400BTU / 1.58kW)















CYCLONE - PROPANE KT-2906



D 227 X 153 X 46mm **W** 200g

I One Touch Piezo Type















WITH LIGHTER GAS



Able to rotate 360 degrees

D 231 X 99 X 61mm (INNER BOX) **W** 162g

- I One Touch Piezo Type
- F Butane Gas (Lighter Gas)
 C 105g/h (1,242kcal / 4,930BTU / 1.44kW)









Able to rotate 360 degrees

D 150 X 53 X 315mm

W 460g

I One Touch Piezo Type

F Propane (Propane Gas Canister)
C 168g/h (2,016kcal / 8,004BTU / 2.34kW)











BLAZER KT-1306



Able to rotate 360 degrees

D 191 X 28 X 398mm **W** 345g

- I One Touch Piezo Type
- F Propane (Propane Gas Canister)
 C 168g/h (2,016kcal / 8,004BTU / 2.3kW)







VULCANUS KT-2909

D 52.5 X 31.5 X 152.2mm


W 120g

I Manual


F Propane (Propane Gas Canister)

C 254g/h (3,050kcal / 12,109BTU / 3.5kW)









W 605g

I Manual

F Propane (MAPP) C 320g/h (3785.6kcal / 1,500BTU / 4.39kW)





KT-2910

D 130 X 40 X 290mm


W 201g


I Manual

F Propane (Propane Gas Canister)
C 384g/h (4,608kcal / 18,294BTU / 5.35kW)









MAGIC I UPGRADE STAINLESS BBQ

KCG-0712

The Magic I is a very compact BBQ grill perfect for small groups, you can take this anywhere with its nice carry bag and stainless steel frame. It folds and unfolds nicely and stores away in small spaces.

D 360 X 50 X 200mm (Inner Box) W 1.83ka



MAGIC II UPGRADE STAINLESS BBQ

KCG-0901

The Magic II is a very compact BBQ grill perfect for bigger groups, you can take this anywhere with its nice carry bag and stainless steel frame. It folds and unfolds nicely and stores away in small spaces.

D 500 X 20 X 200mm (Inner Box) W 2.5kg



MAGIC III UPGRADE STAINLESS BBQ

KCG-1503

The Magic III is a new addition to the already wide range of compact and portable BBQ grills. This larger addition is great for family picnics anywhere you go. Whether it be at the beach or tailgating at the game, its perfect for cooking on the go.

D 470 X 60 X 275mm (Inner Box) W 4.7kg



2018 KOVEA CATALOG PRODUCT

Cookware & Accessory

82 Cookware

86 Accessory

INITIALS

- B: Bulb (LED) C: Consumption D: Dimension F: Fuel M: Material
- Q: Quantity R: Runtime S: Size V: Volume W: Weight
- Br: Brightness Cc: Capacity Cr: Color Fl: Filling Rg: Range St: Strength
- Ig: Ignition IL: Illumination







reddot award 2014 winner

SYSTEM COOKWARE(7~8)

KN8CW0105

D 260 X 295 X199mm (Inner Box)
W 3.7kg
F Aluminium, Stainless, PP
Cc 7~8 Persons





SOLO LITE KCW-SL12

D 150 x 150 x 125mm (Inner Box) W 370g (Incl. stowing bag) F Aluminium Cc 1~2 Persons



SOLO 2 KSK-SOLO2

D 165 X 165 X 115mm (Inner Box)
W 650g (Incl. stowing bag)
F Aluminium
Cc 1~2 Persons



SOLO 3 KSK-SOLO3

D 164 X 160 X 126mm (Inner Box)
W 600g (Incl. stowing bag)
F Aluminium
Cc 1~2 Persons



ESCAPE VKK-ES01

D 150 X 150 X 160mm (Inner Box)
W 511g (Incl. stowing bag)
F Aluminium / pp
Cc 1~2 Persons



HARD 23 KSK-WH23

D 185 X 185 X 137mm (Inner Box) W 814g (Incl. stowing bag) F Aluminium
Cc 2~3 Persons



HARD 56 KSK-WH56

D 207 X 207 X 175mm (Inner Box)
W 1.5kg (Incl. stowing bag)
F Aluminium / pp
Cc 5~6 Persons



HARD 78 KSK-WH78

D 217 X 217 X 195mm (Inner Box) W 2.3kg (Incl. stowing bag)

F Aluminium / pp Cc 7~8 Persons



SILVER 56 KSK-WY56

D 207 X 207 X 175mm (Inner Box) W 1.04kg (Incl. stowing bag) F Aluminium / pp Cc 5~6 Persons



ALL-3PLY STAINLESS COOKWARE(7~8)

KCW-3P78

D 245 X 245 X194mm (Inner Box) W 4kg (Incl. stowing bag)

F Stainless 3PLY Cc 7~8 Persons



MULTI PAN KFP-1212

D 290 X 290 X 30mm (Inner Box)

M Aluminum(Fluoride coating), Grip : Stainless



BUONO BOX / 450

KDW-0450FCB KDW-0450FCM

D 450ml - 105 X 105 X 185mm (Inner Box) Cr Beige / Mint

M Stainless / PP / Silicon





BUONO BOX / 650

KDW-0650FCB KEW-0650FCG

D 650ml - 105 X 105 X 220mm (Inner Box) Cr Beige / Gray

M Stainless / PP / Silicon





CAMPING KITCHENWARE KKW-1002

The Camping Kitchenware set is a great bundle of stainless steel cooking tools for use on the go. Great for on the go campers and comes with a no hassle pouch that holds everything nicely.

D 232 X 350 X 90mm (Blister) **W** 434g



BBQ TOOL SET II KGA-1504

The Upgraded BBQ Tool set is a perfect gift for the hardcore Griller at heart. Comes with a hard case aluminum case that keeps all the stainless steel BBQ tools nice and tidy.

D 120 X 84 X 380mm (Inner Box)



CAMPING SPOON SET KKW-1001

D 154 X 225 X 23mm (Blister)

W 45g M Stainless




CUTLERY SET KKW-1504

D 102 X 94 X 213mm (Inner Box) **W** 423g

M Stainless







BLACK STONE DYNAMIC

KDW-0500BD KDW-0750BD **KDW-1000BD**


D 500ml - 74 X 74 X 258mm (Inner Box) 750ml - 87 X 87 X 300mm (Inner Box) 1000ml - 89 X 89 X 321mm (Inner Box) M Stainless / PP / ABS / Silicon



CARRY HOT

KDW-WT035 KDW-WT050 KDW-WT070 KDW-WT100

D 350ml - 75 X 75 X 200mm (Inner Box) 500ml - 75 X 75 X 250mm (Inner Box) 700ml - 83 X 83 X 293mm (Inner Box) 1000ml - 88 X 88 X 330mm (Inner Box) M Stainless / PP / ABS / Silicon



MEGA HOT

KDW-MH1000 **KDW-MH1200 KDW-MH1500**

D 1000ml - 120 X 110 X 242mm (Inner Box) 1200ml - 120 X 110 X 277mm (Inner Box) 1500ml - 120 X 110 X 322mm (Inner Box) M Stainless / PP / ABS / Silicon

COOKWARE & ACCESSORY



ADAPTOR

KA-N9504

D Ø40 X H30mm **W** 47g



LPG ADAPTOR LIGHT

KGA-1610

D Ø29.9 X H35.2mm **W** 32.8g



P-ADAPTOR KA-1004

D 90 X 91 X 61mm **W** 141g



LPG ADAPTOR KH8CA0101

D 28 X 30 X 40mm **W** 105g



2 WAY **ADAPTOR**

KA-2105

D 74 X 34mm **W** 89.7g



IGNITER

KI-1007

D 20.5 X 81mm **W** 13.2g



COBRA GAS ADAPTOR

KA-0103

D 90 X 91 X 61mm **W** 141g



WIND SHIELD

KW-0101

D 85 X 240 X 30mm (Inner Box)



POCKET WARMER

VKH-PW04S VKH-PW05M VKH-PW06L

D 58×13.5×95mm 68 X 15 X100mm 70×21×111mm W 60g / 88g / 113g



KB-0603 Pump

Hose



KB-0603 head



KB-0101 head



KB-0211 head



NOZZLE TYPE GAS 220g

KGF-0220



FUEL BOTTLE (RED)

2018 KOVEA PRODUCT CATALOG

Cookware & Accessory

KPB-0600 KPB-1000



CAP **HEATER** KH-0811



SCREW TYPE GAS 110g / 230g / 450g

KGF-0110 KGF-0230 KGF-0450



2018 KOVEA CATALOG PRODUCT

Camping & ETC

92 Camping

96 ETC

INITIALS

- B: Bulb (LED) C: Consumption D: Dimension F: Fuel M: Material
- Q: Quantity R: Runtime S: Size V: Volume W: Weight
- Br: Brightness Cc: Capacity Cr: Color Fl: Filling Rg: Range St: Strength
- Ig: Ignition IL: Illumination

CAMPING & ETC 2018 KOVEA PRODUCT CATALOG

RIVER SIDE 2

KECU9TD - 03

D Fly - 290 X 240 X 110cm Inner tent - 220 X 140 X 100cm Ground sheet - 210 X 130cm

M POLYESTER (75D POLY TAFFETA, WATER PRESSURE 1,500mm, PU, W/P, W/R)

POLE - FIBER GLASS 9.5Ø(MAIN) FIBER GLASS 11Ø(CENTER)

Cc 2 persons





TRACK DOME

KECT9TD - 01

D Fly - 380 X 255 X 185cm Inner tent - 240 X 230 X 180cm Ground sheet - 230 X 270cm

M POLYESTER (68D POLY TAFFETA, WATER PRESSURE 2,000mm, PU, W/P, W/R) POLE - FIBER GLASS 12.5Ø, UP LIGHT POLE : ST. 16Ø

Cc 4 persons

STEALTH 2

KECT9TM - 01

D Fly - 305 X 220 X 110cm Inner tent - 220 X 150 X 105cm Ground sheet - 210 X 140cm

W 3.7 kg

M POLYESTER (75D POLY TAFFETA, WATER PRESSURE 3,000mm, TEFLON COATING, PU, W/P, W/R) POLE - DURALUMIN 9.5Ø

Cc 2 persons





AOBA

KECT9TM - 03

D Fly - 305 X 230 X 110cm Inner tent - 220 X 150 X 105cm Groundsheet - 210 X 140cm **W** 3.7 kg M POLYESTER (20D POLY RIPSTOP , WATER PRESSURE 2,000mm, SILICON COATING, PU) POLE : DURALUMIN 8.50 Cc 1 persons

95



VIVID CHAIR KECS9CA - 05

D 49 X 51 X 65cm (When in use) 10 X 10 X 37cm (Folding figure) 30cm (Seat height)

Cr Burgundy / Khaki / Stripe Black



AL SYSTEM TABLE - A KECU9FA - 01

D 71 X 46 X 70(55/30)cm / 71 X 46 X 3.5cm(When store)

W 3kg
M Frame - Aluminium, Plate - Aluminium(Hot Moving Coating)



AL SYSTEM TABLE - B KECU9FA - 02

D 71 X 46 X 70(55/30)cm / 71 X 46 X 3.5cm(When store) Plate - 36 X 27cm

W 3.3kg

M Frame - Aluminium, Plate - Aluminium(Hot Moving Coating)



LONG VIVID CHAIR KECT9CA - 03

D 54 X 77 X 98cm (When in use) 15 X 15 X 52cm (Folding figure) 28cm(Seat height)

W 2kg Cr Gray, Burgundy

• Table Connection System







ALASKA 1300/1800/2300

KM8SP0101 / KM8SP0102 / KM8SP0103

D 90 X 200cm

M Cotton / Polyerster Oxford / Printed Moisture Wicking

FI 2.2Kg (Fill power duckdown 1.3Kg)

2.7Kg (Fill power duckdown 1.8Kg) 3.2Kg (Fill power duckdown 2.3Kg)







TRAVEL LIGHT

KECU9SD-01

D 195 x 75cm (DEV. -3cm)

M SHELL - NYLON 100% / LINING: NYLON 100% / FILL : DUCK DOWN (7:3)

MINI CUSION KF8MA0101

31 X 10cm (Packed in a bag)

CAMP MAT 120 KECS9WF - 01(KS8MA0101)

D 120 X 200cm

60 X 40 X 12cm (Packed in a bag) **W** 730g

CAMP MAT 160 KECS9WF - 02(KS8MA0102)

D 160 X 200cm

80 X 40 X 12cm (Packed in a bag)

CAMP MAT 200 KECR9WF - 01(KR8MA0104)


D 197 X 200cm 65 X 40 X 18cm (Packed in a bag)

CAMP MAT 260 KECS9WF - 04(KS8MA0104)

D 260 X 200cm 67 X 43 X 19cm (Packed in a bag) **W** 1.9kg











KL8EI0104

S S-230~245mm / L-255~285mm **W** S-110g / L-116g **Cr** S-Orange / L-Dark Brown



KEMS9HE - 01(KS8EI0101)

\$ S-230~245mm / M-250~265mm / L-270~285mr **W** S-320g / M-328g / L-340g **Cr** S-Orange / M-Green / L-Blue









FREE TRACK GOLD SPATS II KM8EI0102

D M - 240~270mm / L - 260~290mm W M - 253g / L - 273g

M Nylon - Taslan 3Layer Wire - 4mm Hypalon - 1mm

Polyester - 600D Polyester, Oxford DTY, WR, PU 3time

Cr M - Red / L - BLUE




RESCUE BAG KM8CE0102


*Rescue kits are not included

D 17 X 14.5 X 5cm W 9.8kg M 1680D Polyester, E.V.A



D 220 X 140cm **W** 52g





NEW DYNAMIC IV

KI8ST0118

CARBONAL



SHORTCUT2

KH8ST0201

DURALUMIN



STONE

KG8ST0107

DURALUMIN



BLUE SKY

VKS-N2005


DURALUMIN



BLUE SKY2

KH8ST0101

DURALUMIN





WILD CORK 4000

VKS-304

DURALUMIN



CLASSIC

KZ8ST0205

DURALUMIN



TITAN

VS-801

DURALUMIN TITANIUM



CROSS ACTION1

VKS-N9606

DURALUMIN







Strength

NEW FLEX TNF-01~09

(€

The New Flex is a simple independent 4 Cam structure to provide easy setting and perfect fit in any type of cracks.

(TNF-01~04) AL7075 / (TNF-05~09) AL6061 Material

10~17 / 13~21 / 17~27 / 20~33 / 26~44 / 33~55 / 42~69 / 53~86 / 65~107 mm Range

58 / 60 / 73 / 81 / 121 / 128 / 148 / 182 / 233 g Weight 7/7/10/10/12/12/12/12/12 kN Strength



FLEX TFF-01~10

The Flex is basic and simple structure designed cam which to ensure safe security in

(TFF-01~04) AL7075 / (TFF-05~10) AL6061 Material

Range 14~19 / 18~23 / 21~27 / 24~34 / 31~42 / 37~55 / 48~68 / 57~86 / 75~105 / 94~136 mm

76 / 77 / 79 / 84 / 121 / 136 / 153 / 190 / 271 / 353 g Weight Strength





BALLNUTZ SET

(Oval K St Carabiner included)

set up micro crack that other camming unit can not be set.

AL6061 + STS304 Material 3.7~6.4 / 4.8~9.0 / 6.1~11.6 / 7.8~13.8 / 10.3~17.5 mm Range

Weight 31 / 39 / 49 / 58 / 73 g 7/8/8/8/8kN Strength







MIGHTY K LOCK TCHK-30

30 kN of high tensile strenght carabiner for

 \emptyset 11 × 112 × 72 mm

Major 30 kN / Minor 9 kN / Open 8 kN

using climb, resque and Industry.

AL7075

76 a









(€

((

(€

CALM HMSTRIPLE LOCK TCHK-T02

Large HMS type carabiner and spring gate prevents carabiner from turning around not to weigh on one side when secured.

AI 7075 Material Size Ø12 x 114 x 74 mm Weiaht

Strength

93 a Major 27 kN / Minor 8 kN / Open 7 kN

Materia

Weiaht

Strength

CALM HMS LOCK TCHK-02

Large HMS type carabiner and spring gate prevents carabiner from turning around not to weigh on one side when secured.

Material AI 7075 Size Ø12 x 114 x 74 mm

Weight Strength Major 27 kN / Minor 8 kN / Open 7 kN

 (ϵ)

HMS K LOCK TCHK-01

Designed with Wide D-shape curve on the opposite side of gate that could install directly to wide belay

AI 7075 Material

AL7075

83 a

lock structure gate.

Size Ø12 × 120 × 75 mm

HMS TRIPLE K NOCK TCHK-T01

Triple key lock keeps you safe by use automatic

 $Ø11 \times 112 \times 73 \text{ mm}$

Weight 92 a

Major 27 kN / Minor 8 kN / Open 7 kN

Major 24 kN / Minor 8 kN / Open 8 kN



MD K LOCK TCDK-01 / MD K BT TCDK-02 / MD K ST TCDK-03

Most favorite item for safety and climbing device.

AL7075 Material

Size Ø10 × 100 × 55 mm Weight 54/ 48/ 48 a

Major 26 kN / Minor 8 kN / Open 7 kN Strength



BEAK K LOCK TCDK-14/BEAK K BT TCDK-15/BEAK K ST TCDK-16 C €

Realize ultra-light weight by hot forging technology.

Material AL7075

Ø10 × 101 × 58 mm Size Weight 51/45/45 a

Major 24 kN / Minor 8 kN / Open 8 kN



BEAM K LOCK TCDK-13 / BEAM K BT TCDK-09 / BEAM K ST TCDK-10 (

Realize ultra-light weight by hot forging technology.

AL7075 Material Size \emptyset 10 × 98 × 57 mm Weight 46/41/41 g

Major 24 kN / Minor 8 kN / Open 8 kN Strenath



MD W/ST TCD-06

Wired gate is easier to clip rope than other carabiners also can be used to when hard condition as like frozenor soil stuck to gate.

AL7075

 \emptyset 10 × 99 × 56 mm Size

Weight 43 g

Major 24 kN / Minor 8 kN / Open 7 kN





TINY TRIPLE LOCK TCOK-T01 / TINY LOCK TCOK-03 / TINY ST TCOK-04 Bisymmetrical structure can make one line in the middle when connecting gears on both sides.

Weight

Strength

Material AL7075 Ø11 × 98 × 61 mm Size Weight 71/66/59 g

Major 24 kN / Minor 8 kN / Open 7 kN Strength



OVAL K LOCK TCOK-02 / OVAL K ST TCOK-01

Bisymmetrical structure can make one line in the middle when connecting gears on both sides.

Material AL7075 \emptyset 11 × 107 × 60 mm Size

Weight

Maior 24 kN / Minor 8 kN / Open 7 kN Strenath



BEAM W/BT TCD-11 **BEAM W/ST TCD-12**

Minimize weight by combination of hot forging technology and wired gate.

AL7075 Size \emptyset 10 × 98 × 57 mm

Weight 34 a

Major 25 kN / Minor 8 kN / Open 9 kN



SPINE W/BT TCD-13 (€ SPINE W/ST TCD-14

Feather light carabiner by hot forging technology.

Material AI 7075 $Ø9 \times 90 \times 53 \text{ mm}$ Size

Weight 30 g Major 24 kN / Minor 8 kN / Open 8 kN



SOX STEEL LOCK TCOK-SO2

This is high-strength steel carabiner which minimize damage caused by friction.

SCM435 Material

Size Ø10 x 108 x 61 mm Weight 183 a

Strength Major 30 kN / Minor 15 kN / Open 10 kN



QUICK LINK ST08 TCQ-ST08

This is used for securing to the picth point with

high-strength steel carabiner.

STS 316 Material Size Ø8 x 75 x 40 mm

Weight 79 a

Strength Major 40 kN / Minor 10 kN







The gate is wider and larger than MD type carabiner which comfortable to bring devices and slings with gloved hands.

Material AL7075

Ø11 x 115 x 67 mm Size

Weight

Major 28 kN / Minor 8 kN / Open 7 kN Strength





106 www.kovea.com







107



TOUGH QUICKDRAW SET K 12 TAG-TSK-12 TOUGH QUICKDRAW SET K 17 TAG-TSK-17

Apply high strength nylon 66 webbing for excellent durability and outstanding strength.

Material Nylon 66 + AL7075

Length - 12 cm, 17 cm / Width - 25 mm

Weight 117 g / 123 g

Strength 22 kN

DYNEEMA QUICKDRAW SET K 12 TAG-11DSK-12 DYNEEMA QUICKDRAW SET K 17 TAG-11DSK-17



Apply Dyneema webbing for excellent durability and outstanding strength.

Material Dyneema + AL7075

Length - 12 cm. 17 mm / Width - 12 mm

102 g / 108 g 22 kN

BEAM W/QUICKDRAW SET 12 TAG-WS-12 BEAM W/QUICKDRAW SET 17 TAG-WS-17



Ultra-light quickdraw set by combination of hot forged carabiners and dyneema webbing.

Dvneema + AL7075

Length - 12 cm, 17 mm / Width - 12 mm Size

Weiaht 74 a / 80 a

SPINE W/QUICKDRAW SET 12 TAG-SP-12 SPINE W/QUICKDRAW SET 17 TAG-SP-17



Feather light quickdraw set by combination of hot forged light & small size carabiners and dyneema webbing.

Material Dyneema + AL7075

Length - 12 cm, 17 mm / Width - 12 mm

Weight 66 g / 72 g Strength





TOUGH BIND TAG-B25

Quantity



QUICKDRAW BIND TAG-B12B

Quantity

1 set / 10ea



TOUGH QUICKDRAW SLING 12/17 €



TAG-T12 / TAG-T17

Material Nylon 66

Length - 12 cm, 17 cm / Width - 25 mm

Weight 21 g / 27 g Strength 22 kN




TAG-11D-12 / TAG-11D-17 / TAG-11D-22

Length - 12 cm, 17 mm, 22 mm / Width - 12 mm

Weight 6 g / 12 g / 18 g Strength 22 kN



ASCENDER TAG-09L / TAG-09R



AL7075 + EPDM + STS420J2 + Elastomer Material

Rope Diameter 8~13 mm Weight 208 g Strength 4 kN



MOOR TAG-03

Multi-purpose belay device which can be use to lead and second belay.

AL6061

O≥9 mm, ⊗≥ 8.3 mm, ⊚≥ 7.8 mm Rope Diameter

69 a Weight

Vergo 28622

VERGO is the assisted-braking device which works by the pulling strength of rope. Rope is not crooked when it brakes, furthermore smooth feeding doesn't damage the rope.

Material AL + STS Rope Diameter ①8.9~10.7 mm Weiaht 195 a



Material

Weight

Strength

Rope Diameter

AI 7075

140 g

3,500 kg

① 8.9~12 mm, ②@ 8~11mm

PYRTAMID TAG-02

Small and light belay device which has outstanding durability.

AL2024 Material

① 8.9~12 mm, ②@ 8~11mm Rope Diamete

70 g Weight



RAPTOR TIT-1008

Ultra-light ice tool designed for expert climber, competition, high level climbing, etc. Comfortable covered dual grip makes variable stroke angle, efficiently movement, prevent hands hit to ice.

Material 17-4PH + SCM435 + AL7075 + EPDM

49 cm

598 g (643 g with weight)



Manufactured harmonize-curved shape shaft, pick angle and different thickness of pick tip provide best performance.

STS420J2 + SCM435 + AL7075 + EPDM

Size 52 cm Weight 660 g





ALPINIST PICKEL 70 / 75 / 80 / 85 / 90



Be useful for walking & climbing in deep snow, overseas expedition, glacier. SCM steel head and 7075 aluminum shaft for light weight, outstanding strength, durability and long lifespan.

Material SCM435 + AL7075

70 cm / 75 cm / 80 cm / 85 cm / 90 cm Size 640 g / 650 g / 660 g / 670 g / 680 g Weight



HYPER GUIDE TIC-05

Hinged type crampon allowed to have more flexible motion and easy identify left and right.

SCM435 Material Weight 1,280 g



HYPER HARPOON TIC-06 Designed for intermediate and expert users

to high level ice or mixed climbing.

SCM435 Material Weight 1,110 g



X-CROSS 6 PEAK KE-0210

For maximize comfort, apply X-Cross webbing which designed for stabilize while long term use. (Registration of utility model: No. 299027, Registration design: No. 334303)

Material S50C Size Free Weight 492 g



Optimized as a drill form made of stainless steel so it makes quick-screwing when it starts screwing first.

Material STS420 + AL7075 + ABS

Size Weight 157 g



RAPID 12/ 17/ 22 TIPT-IS-12/ 17/ 22

Optimized of drill shape with stainless steel meterial screw designed for the situation of quick installation.

STS420 + AL7075 12 cm / 17 cm / 22 cm Size 133 g / 161 g / 182 g Weight



ICE TOOL CASE

TITA-17-1



DOUBLE ICE TOOL CASE

TITA-20



RAPTOR WEIGHT

TITA-16



NEW SCORPION PICK TITA-14

PICK COVER TITA-18

LEASH TITA-01



MONO POINT KIT

TICA-03





CRAMPON STRAPS TICA-01



CRAMPON CASE

TICA-05



SICURO THG-12 (€

SHELL(ABS) absorbs shocks and firmly designed to be protective.

With dial adjusting device, you can adjust size quickly and wear helmet in stable.

Designed in concave shape back of shell minimizes the inconvenience caused by carrying a backpack while climbing.

Material ARS 53~62 cm Size Weight 364 g

Color Mustard, Cyan, Red



COMET THG-11 (E

The first developed sunglass equipped helmet in the world. Best quality UV-Protection film coated sunglass has made from polycarbonate that has outstanding shock resistance and wear resistance. Protects eyes from ice shard when ice Neat design, excellent ventilation climbing and keep clear sight and protect from direct sun light.

Material PC + EPS 53~64 cm Size Weight 300 g

Color Darkgray, Orange



ZENITH THG-10 (E

Lighter than ABS type helmet(265g) which guarantee comfort and stabilization.

Material PC + EPS Size 53~64 cm Weight 265 g

Color Gray, Green, Yellow



CYCLOID CHAIN TAG-BCD12-125

Belay Chain for Self secure attach to harness.

Material Dvneema

Length - 125 cm / Width - 12 mm Size 106 g

Weight

End to end - 22 kN / Individual loop - 22 kN Strenath



NYLON DAISY CHAIN TAG-BCN15-105 0120

Light, strong and easy to carry with high strength nylon webbing.

Material Nylon 66

Size Lenath - 105 cm / Width - 15 mm

Weight

End to end - 22 kN / Individual loop - 2 kN Strenath



DYNEEMA DAISY CHAIN 85/105

TAG-14D-2 / TAG-14D-1

Self-secure chain connect to climbing harness.

Material

Size Length - 85 cm, 105 cm / Width - 12 mm

42 g / 53 g Weight

End to end - 22 kN / Individual loop - 2 kN



15"/30" ALPINE EQUALIZER

TAG-27D-01 / TAG-27D-02

Outstanding shock absorption also can make safe belay by equally disperse strenght on belay point.

Material

Size Length - 15", 30" / Width - 12 mm

62 g / 97 g Weight Strength End to end - 22 kN



DYNEEMA LOOP SLING 30 / 60 / 90 / 120 TAG-10D-30 / TAG-10D-60 / TAG-10D-90 / TAG-10D-120 Help more smooth rope flow connecting to belay anchor and easy to make equalizing two belay point.

Material

Length - 30 cm, 60 cm, 90 cm, 120 cm / Width - 12 mm

Weight 14 g / 22 g / 34 g / 43 g

Strength

NYLON LOOP SLING 30 / 60 / 90 / 120

(€

TAG-SLN15-30 / TAG-SLN15-60 / TAG-SLN15-90 / TAG-SLN15-120

Help more smooth rope flow connecting to belay anchor and easy to make equalizing two belay point.

Length - 30 cm, 60 cm, 90 cm, 120 cm / Width - 15 mm

Weight 28 g / 44 g / 69 g / 91 g

22 kN Strength





JOYCL THJ-02

Designed to fit for kids and children's sports climbing and comfy even for long hours thanks to ergonomic design.

Material AL7075 + Nylon S (22"~27"), M (25"~30") Size Weight 210 g (small-size standard)






Weight

VERTICAL TH-01

Most popular OSFA(One Size Fits All) lightweight harness for all body type.

Material OSFA (24"~36") Size

424 g







MOUNTAIN WALL TH-0901

For more safe and comfort, wide padded waist and leg belts are connected with double belay loop.

Material AL7075 + Nylon + Cordura S-M (23"~30"), L-XL (31"~38") Size Weight 522 g (small-size standard)





VINCENTÐ TH-N01-2

OSFA(One Size Fits All) harness designed for middle level climbers.

AL7075 + Nylon+ Cordura OSFA (24"~36") Size Weight 460 g





LIBERTY TH-08

Designed for best performance against variable climbing action, absorption/dispersion of falling shock.

AL7075 + Nylon + Cordura S-M (23"~30"), L-XL (31"~38") Weight 402 g (small-size standard)





GRAVITY TH-N02

Segmented sizes from S to XL for any user and reduced the belt weight.

AL7075 + Nylon + Cordura Material S (23"~26"), M (27"~30") L (31"~34"), XL (35"~38") 350 g (small-size standard)



FULL BODY TH-04

Best for rock climbing beginner, rescue, industrial & safety works.

((

 ϵ

Material AL7075 + Nylon + Cordura Size OSFA (24"~36") Weight 767 g



HOLLIS THS-01

Multi-purposed full body harness by separating upper body part to lower body part, which approved according to the European standards EN358, EN361, EN813.

Material AL7075 + AL6066 + Nylon + Cordura +

Polyester

Size OSFA (26"~38") Weight 2,058 g



SAFE-RACK THZ-119

Full body type harness designed for user's safety while any type of works by applying 4 loops (1 front, 1 back, 2 waist) and 3 belay loops (2 front, 1 back)

AL7075 + Nylon + Cordura Material S-M (23"~30"), L-XL (31"~38") Weight 1,261 g (small-size standard)



HALF TH-06

Able to use as emergency belt in danger zone while ridge climbing.

Material AL7075 + Nylon + Cordura Size OSFA (24"~36")

Weight 267 g



SAFE-ZIP THZ-219

Full body type harness designed for user's safety while variety outdoor activity or industrial works by applying 1 loop (1 back) and double belay loops(2 front, 2 back).

Material AL7075 + Nylon + Cordura Size S (18"~26"), M (27"~35"), L (36"~44") 1,051 g (small-size standard) Weight



CHEST TH-07

Prevent hanging upside down while ridge or rock climbing, etc.

Material AL7075 + Nylon Size OSFA (31"~45")

Weight 260 g



JUNIOR TH-05

Designed for 6~10 years old children (max 40 kg).

 $(\epsilon$

AL7075 + Polyester + Cordura Material OSFA (18"~23") : Junior Size

Weight 394 g



SALVO THS-21

Work positioning belt is used for determining user's location in workplace.

 ϵ

AL7075 + Nylon Size OSFA (28"~42") Weight 565 g



MAIN CHAIN THZ-02


High strength belay chain for rope secure or heavy baggage lifting temporarily.

AL7075 + Polyester Material

Size Length - 20~150 cm / Width - 45 mm

273 g Weiaht Strength 22 kN







NEW DOUBLE GEAR RACK TAG-23 Designed for expert gear rack which can reduce device's weight efficiently.

Material Tarpaulin + Nylon + Cordura

Size Weight 442 g



X-GEAR RACK TAG-04

Can carry both sides of shoulder with one strap and also prevent gear rack's lean.

Nylon + Cordura Material 127 g Weight



07

FIFI HOOK TAG-1007

Device for quick and easy fix / release body to belay object.

AL7075 + Nvlon Material 18 cm 23 g Weight Strenath 4 kN

01 ASCENDER STEP TAG-1003

Two buckle system allows quick size adjustment & useful to various situation.

Material AL7075 + Nylon + Polyester Size min 25 cm ~ max 105 cm

Weight Strength 300 kg

80

02 SQUARE DOUBLE LADDER 4+5 TAG-10-45

Square shape ladder plans for easy and stable step.

Material AL7075 + Nylon Size 4+5 step Weight 464 g 300 kg

03 DOUBLE LADDER 4+5 TAG-07-45

Most favored item in aid and big-wall climbing.

Material Nylon 4+5 Step Size Weight 456 g Strength 300 kg

04 LADDER 5 STEP TAG-07-05

Best 5 step single ladder for Aid-Climbing.

Material 5 Step Size Weight 262 g 300 kg Strength

05 LADDER 4 STEP TAG-07-04

Best 4 step single ladder for Aid-Climbing.

Material Nylon 4 Step Size Weight Strength 300 kg

06 ALPINE LADDER 3 STEP TAG-07D-03

Single ladder, which has outstanding tensile strength and light weight by using dyneema webbing, also attached pouch for easy carry & storage.

Material Dyneema + Nylon Size 3 Step Weight 78 a

07 DOUBLE QUICK SECURE CHAIN TSC-02

Device for double self-secure.

AL7075 + Nylon + Polyester Size min 25 cm ~ max 120 cm

Weight Strength 300 kg

08 QUICK SECURE CHAIN TSC-01

Manufactured with solid two buckle which can make quick adjust the length by pulling adjustment handle and easy self-secure to belay object like piton.

Material AL7075 + Nylon + Polyester min 25 cm ~ max 120 cm

Weight 110 g 300 kg Strength



SALINON TBP-CL-3501

Salinon is perfect 35L backpack for trekking and climbing.

Material Nylon + Polyester

Size 35+5 L

Weight Olive-1,318 g / Orange-1,380 g Olive, Orange Color





PATRON TBP-CL-4501

Patron is perfect 45L backpack for trekking and climbing.

Material Nylon + Polyester Size 45+5 L

1,610 g Weight

Burgundy, Blue Color

CITY 35 / ROCK 45 / TREK 65 / EXTREME 85 / EXPEDITION 105

TCBT-01 / TCBT-02 / TCBT-03 / TCBT-04 / TCBT-05

Very useful to indoor or outdoor gear(rope, climbing gears, etc.) that carrying which manufactured variety line up (35L, 45L, 65L, 85L, 105L) for climbing, travel, business trip, athletics bag, expedition, etc.

Material Poly 1800 D + Nylon

35+4L / 45+5L / 65+5L / 85+7L / 105+7L Size Weight 1,480 g / 1,600 g / 1,830 g / 2,000 g / 2,200 g







CHALK BAG TAG-19 / TAG-CB-01 / TAG-CB-02

Provide with chalk ball inside to help coat fingertips equally and prevent chalk dispersion.

Polyester 600D / Nylon 210D / Nylon 210D Material

Weight 88 g / 42 g / 51 g

CHALK POT TAG-CP-01

Useful big size chalk bag for gym or bouldering.

Material Polvester 600D $25 \times 20 \times 22 \text{ mm}$ Weight 186 g Color Wine. Dark Green



MEGAN ICE GLOVES TAG-IG-01

Made with thinsulate for warmth and Hipora for waterproof, water-repellent, moisture permeability & windshield. Suitable for winter trekking and ice climbing.

Material Goatskin S, M, L, XL

132 g (small size standard) Weight

Color Black-White

Size



BUCK BELAY GLOVES TBG-1001 BILLY BELAY GLOVES TAG-BG-02 AID BELAY GLOVES TAG-BG-01

Deerskin / Goatskin / Goatskin

S, M, L, XL

96 g / 94 g / 92 g (small size standard) Weight

Brown / Tan / Black



3D SOX CLIMBING TA-CS-01

Specialized in climbing so it absorbs sweat to reduce odor and improve adhesion and friction, giving the skin a sense of unity.

Material Polyester, nylon, etc

S, M, L Size

Color Pink, Blue, Orange



LIQUID CHALK 100 / 250

TAG-LC-02 / TAG-LC-01

MgCO3, Rosin, Alcohol Capacity 100 ml / 250 ml



CLIMBING TAPE TAG-CT-01

Material Size

cotton 100% 10m × 3.8cm



SQUEEZE CHALK BALL TAG-CKR-01 CHALK TAG-21-2

Magnesium carbonate Weight 60 g / 200 g



ROPE PROTECTOR TAG-RP-01

Tarpaulin Size 10×60 cm Weight 126 g





MULTI NECK WARMER

Material Polyester + Polyurethane

Size





COMPY

TA-SM-01 / TA-SW-01

Material Cotton + Polyester + Polyurethane

BOLT HANGER TAG-12-1

ANCHOR BOLT TAG-13-2

STS304 / STS316

66 g / 43 g

25 kN

t 4.0 / Ø10 × 60 mm

Blue / Pink Color



AL WAIST BELT / PL WAIST BELT / TL WAIST BELT

TA-06-1 / TA-06-2 / TA-06-3

Material AL6061 + PP / Acetal + PP / AL6061 + PP

Size Length - 120 cm / Width - 30 mm

Weight 50 g / 52 g / 52 g



RAPPEL RING 28 TRR-28 RAPPEL RING 39 TRR-39

Material

Size Ø12 (Inner dia 28 mm / 39 mm)

Weight 38 g / 48 g Strenath 30 kN









NUT KEY TAG-08

Material Size

Weight

SCM435

t 2.5

52 g





Material

Size

Weight

Strength





FOLDING KNIFE TAN-01

Stainless Material Size 35 mm (knife) Weight 20 g

LED OPENER FORGING S TAC-04

Material Aluminum Size $\emptyset7 \times 73 \text{ mm}$ Weight 20 g

TAC-03

Material Aluminum Size 8 × 80 mm Weight 14 g

FORGING D

TAC-02

Material Aluminum Size 8 × 76 mm Weight 13 g

MINI FLAT

TAC-01

Material Aluminum Size $4 \times 40 \text{ mm}$ Weight 3 g

MULTI-FUNCTION

TAC-05

Material Stainless Size 33 x 71 mm

NAIL **CLIPPER**

TA-NC-01

Material Stainless 50 mm Size Weight 13 g



RHEA | THL-179

Easy-carrying and compact size, fancy design.

Size $63 \times 44 \times 35$ mm (Body) Lumens 180 Lumens

LED Bulb XP-G S3 Cree White LED × 1EA 5mm Red LED \times 2EA

61 g (Exclude batteries) Weight 1.5V AAA × 3EA (Exclude batteries) Batteries



STARK THL-173

Easy-carrying and compact size, neat design.

Size $63 \times 29 \times 30 \text{ mm}$ (Body)

Lumens 155 Lumens

LED Bulb XP-G2 R4 Cree White LED × 1EA

White LED × 2EA Weight 49 g (Exclude batteries)

1.5V AA × 1EA (Exclude batteries) **Batteries**



MINI | THL-168

Fancy design and ultra-lightweight head lantern.

Size $34 \times 35 \times 29 \text{ mm (Body)}$

Lumens 24 Lumens

Weight

ML-E Cree White LED × 1EA LED Bulb 3 mm RED LED × 2EA

33 g (Included batteries) 3V CR2032 × 2EA (Included batteries) **Batteries**